

Korasana d.b.a. ZPX, LLC FL
 Order No.: OFLKRS1008-0002936
 2873 SW 33rd Ct
 Florida, 33133
 mark@korasana.com
 6172566487

Sample: SFLKRS1008-ITIN-0000718
 Unit Weight: 30.0000g , Sample Size for Testing: 1.0000 Units
 Batch#: FS30092024
MMTC Information
 Cultivation Facility: , Processing Facility:

Kanna 3000mg CBD FSO-30ml
 Ingestible, Tincture



Results

3240 mg/unit CBD	67.3 mg/unit D9-THC
3240 mg/unit Total CBD	67.3 mg/unit Total THC
3390 mg/unit Total Cannabinoids	

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Not Tested
Water Activity Not Tested	Foreign Matter Not Tested	Terpenes Not Tested
Contaminant Load Not Tested	Residual Solvents Not Tested	Mycotoxins Not Tested
Heavy Metals Not Tested	Pesticides Not Tested	Label Claim Not Tested



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
trevorh@actlab.com

2 of 2

Korasana d.b.a. ZPX, LLC FL
Order No.: OFLKRS1008-0002936
2873 SW 33rd Ct
Florida, 33133
mark@korasana.com
6172566487

Sample: SFLKRS1008-ITIN-0000718
Unit Weight: 30.0000g , Sample Size for Testing: 1.0000 Units
Batch#: FS30092024

Kanna 3000mg CBD FSO-30ml
Ingestible, Tincture



Cannabinoids

Tested

Sample Prep

Tech: 2816, 4495
SOP: SOP 417
Batch Number: WCNDFL-FL1008-0002758
Batch Date: 10/08/2024 15:00

Sample Analysis

Date/Time: 10/16/2024 19:26
Tech: 4495
SOP: SOP 417
Instrument: HPLC - 3013
Final Weight: 1.001 g
Dilution Factor for Sample: 40

Analyte	LOD (mg/g)	LOQ (mg/g)	mg/g	mg/unit	%
CBDV	0.004	0.013	1.53	45.8	0.153
CBDa	0.004	0.013	ND	ND	ND
CBGa	0.004	0.013	ND	ND	ND
CBG	0.004	0.013	0.968	29.0	0.0970
CBD	0.004	0.013	108	3,240	10.8
THCV	0.004	0.013	ND	ND	ND
THCVa	0.004	0.013	ND	ND	ND
CBN	0.004	0.013	0.103	3.08	0.0100
D9-THC	0.004	0.013	2.24	67.3	0.224
D8-THC	0.004	0.013	ND	ND	ND
CBC	0.004	0.013	0.304	9.13	0.0300
THCa	0.004	0.013	ND	ND	ND
CBCa	0.004	0.013	ND	ND	ND
Total CBD			108	3,240	10.8
Total THC			2.24	67.3	0.224
Total Cannabinoids			113	3,390	11.3



Trevor Hamilton
Lab Manager

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.