

Korasana d.b.a. ZPX, LLC FL
 Order No.: OFLKRS1008-0002936
 2873 SW 33rd Ct
 Florida, 33133
 mark@korasana.com
 6172566487

Sample: SFLKRS1008-ITIN-0000719
 Unit Weight: 30.0000g , Sample Size for Testing: 1.0000 Units
 Batch#: FS60092024
MMTC Information
 Cultivation Facility: , Processing Facility:

Kanna 6000mg CBD FSO-30ml
 Ingestible, Tincture



Results

6100 mg/unit CBD	67.9 mg/unit D9-THC
6100 mg/unit Total CBD	67.9 mg/unit Total THC
6280 mg/unit Total Cannabinoids	

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Not Tested
Water Activity Not Tested	Foreign Matter Not Tested	Terpenes Not Tested
Contaminant Load Not Tested	Residual Solvents Not Tested	Mycotoxins Not Tested
Heavy Metals Not Tested	Pesticides Not Tested	Label Claim Not Tested



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
trevorh@actlab.com

2 of 2

Korasana d.b.a. ZPX, LLC FL
Order No.: OFLKRS1008-0002936
2873 SW 33rd Ct
Florida, 33133
mark@korasana.com
6172566487

Sample: SFLKRS1008-ITIN-0000719
Unit Weight: 30.0000g , Sample Size for Testing: 1.0000 Units
Batch#: FS60092024

Kanna 6000mg CBD FSO-30ml
Ingestible, Tincture



Cannabinoids

Tested

Sample Prep

Tech: 2816, 4495
SOP: SOP 417
Batch Number: WCNDFL-FL1008-0002758
Batch Date: 10/08/2024 15:00

Sample Analysis

Date/Time: 10/16/2024 19:26
Tech: 4495
SOP: SOP 417
Instrument: HPLC - 3013
Final Weight: 1.011 g
Dilution Factor for Sample: 40

Analyte	LOD (mg/g)	LOQ (mg/g)	mg/g	mg/unit	%
CBDV	0.004	0.013	1.93	57.9	0.193
CBDa	0.004	0.013	ND	ND	ND
CBGa	0.004	0.013	ND	ND	ND
CBG	0.004	0.013	1.06	31.8	0.106
CBD	0.004	0.013	203	6,100	20.3
THCV	0.004	0.013	ND	ND	ND
THCVa	0.004	0.013	ND	ND	ND
CBN	0.004	0.013	0.128	3.83	0.0130
D9-THC	0.004	0.013	2.26	67.9	0.226
D8-THC	0.004	0.013	ND	ND	ND
CBC	0.004	0.013	0.428	12.8	0.0430
THCa	0.004	0.013	ND	ND	ND
CBCa	0.004	0.013	ND	ND	ND
Total CBD			203	6,100	20.3
Total THC			2.26	67.9	0.226
Total Cannabinoids			209	6,280	20.9



Trevor Hamilton
Lab Manager

◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.